

# Package ‘GenePopStats’

September 16, 2025

**Type** Package

**Title** Population Genetics Statistics for Selective Sweep

**Version** 0.1.0

**Imports** vcfR

**Description** Selective Sweep can be calculated by five significant Population Genetics Statistics such as ```Pi`", ```Wattersons_theta`", ```Tajima_D`", ```Kelly_ZnS`" and ```Omega`" Statistics in specified chromosomal region. It has been developed by using the concept of ```Kern`" and ```Schrider`" (2018)<[doi:10.1534/g3.118.200262](https://doi.org/10.1534/g3.118.200262)>.

**License** GPL-3

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**NeedsCompilation** no

**Author** Abhik Sarkar [aut, cre],  
Dwijesh Chandra Mishra [aut],  
Dipro Sinha [aut],  
Saikath Das [aut],  
Krishna Kumar Chaturvedi [aut],  
Shashi Bhushan Lal [aut],  
Sanjeev Kumar [aut],  
Ranjit Kumar Paul [aut],  
Girish Kumar Jha [aut],  
Neeraj Budhlakoti [aut],  
Md Yeasin [aut]

**Maintainer** Abhik Sarkar <[abhik.iasri@gmail.com](mailto:abhik.iasri@gmail.com)>

**Repository** CRAN

**Date/Publication** 2025-09-16 06:20:02 UTC

## Contents

GenePopStats . . . . .	2
<b>Index</b>	<b>3</b>

---

GenePopStats

*Title GenePopStats: Population Genetics Statistics for Selective Sweep*

---

### **Description**

Title GenePopStats: Population Genetics Statistics for Selective Sweep

### **Usage**

```
GenePopStats(vcf_file, window_size, step_size)
```

### **Arguments**

<code>vcf_file</code>	Enter the path to VCF File
<code>window_size</code>	Length of the genomic region
<code>step_size</code>	Length of slide in the window in forward direction

### **Value**

Results are being obtained as a matrix containing 5 Population Summary Statistics such as "Pi", "Wattersons\_theta", "Tajima\_D", "Kelly\_ZnS" and "Omega" Statistics subdivided into windows as specified chromosomal region

### **Examples**

```
path<-system.file("exdata", "ExampleVCF.vcf", package = "GenePopStats")
GenePopStats(path, 20, 10)
```

# Index

GenePopStats, [2](#)