

Package ‘QTE.RD’

August 30, 2025

Title Quantile Treatment Effects under the Regression Discontinuity Design

Version 1.2.0

Author Zhongjun Qu [aut, cph],
Jungmo Yoon [aut, cre, cph]

Maintainer Jungmo Yoon <jmyoon@hanyang.ac.kr>

Description Provides comprehensive methods for testing, estimating, and conducting uniform inference on quantile treatment effects (QTEs) in sharp regression discontinuity (RD) designs, incorporating covariates and implementing robust bias correction methods of Qu, Yoon, Peron (2024) <[doi:10.1162/rest_a_01168](https://doi.org/10.1162/rest_a_01168)>.

Encoding UTF-8

RoxygenNote 7.3.2

Imports quantreg, plotrix, stats

License GPL (>= 3)

Suggests knitr, rmarkdown, spelling, testthat (>= 3.0.0)

Language en-US

Depends R (>= 2.10)

LazyData true

Config/testthat/edition 3

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2025-08-30 04:20:02 UTC

Contents

QTE.RD-package	2
ddk_2011	3
plot.qte	4
rd.qte	5

rdq	7
rdq.band	8
rdq.bandwidth	10
rdq.bias	11
rdq.condf	12
rdq.test	13
summary.qte	15
Index	17

QTE.RD-package	<i>QTE.RD: Quantile Treatment Effects under the Regression Discontinuity Design</i>
----------------	---

Description

Provides comprehensive methods for testing, estimating, and conducting uniform inference on quantile treatment effects (QTEs) in sharp regression discontinuity (RD) designs, incorporating covariates and implementing robust bias correction methods of Qu, Yoon, Perron (2024) [doi:10.1162/rest_a_01168](#).

Details

The package QTE.RD includes four main functions:

- `rd.qte` estimates QTEs and provides uniform confidence bands, with or without covariates, and with or without robust bias correction.
- `rdq.test` conducts tests for three hypotheses, related to the significance of treatment effects, homogeneous treatment effects, and uniformly positive or negative treatment effects.
- `rdq.bandwidth` implements two bandwidth selection rules: the cross-validation bandwidth and the MSE optimal bandwidth.
- `plot.qte` generates figures summarizing the treatment effects along with their confidence bands.

Author(s)

- Zhongjun Qu qu@bu.edu
- Jungmo Yoon jmyoon@hanyang.ac.kr

References

Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," The Review of Economics and Statistics; [doi:10.1162/rest_a_01168](#)

Zhongjun Qu and Jungmo Yoon (2019), "Uniform Inference on Quantile Effects under Sharp Regression Discontinuity Designs," Journal of Business and Economic Statistics, 37(4), 625–647; [doi:10.1080/07350015.2017.1407323](#)

ddk_2011*Student Achievement Data*

Description

The student achievement data used in Duflo, Dupas, and Kremer (2011) is available from the Harvard Dataverse (see **Source** below). The original dataset contains 7,022 observations and 106 variables. We extracted 5,795 observations with non-missing values for the outcome variable `totalscore` and retained 10 key variables.

Usage

```
data(ddk_2011)
```

Format

A data frame with 5795 rows and 10 columns.

schoolid ID of primary school.

tracking School sampled for tracking.

percentile Student's percentile in initial distribution.

totalscore Total endline score.

etpteacher Student assigned to contract teacher.

lowstream Student assigned to lower-ability section (if tracking school).

highstream Student assigned to higher-ability section (if tracking school).

girl Sex of student: female.

agetest Age of student at time of test.

ts_std Standardized total endline score.

Source

[doi:10.7910/DVN/LWFH9U](https://doi.org/10.7910/DVN/LWFH9U)

References

Esther Duflo, Pascaline Dupas, and Michael Kremer (2011) "Peer Effects, Teacher Incentives, and the Impact of Tracking: Evidence from a Randomized Evaluation in Kenya," *American Economic Review*, 1739-1774.

plot.qte

*QTE plots***Description**

plot.qte generates plots summarizing the QTE estimates and their uniform confidence bands, helping users visualize the results. It also makes plots for conditional quantile processes for each side of the cutoff.

Usage

```
## S3 method for class 'qte'
plot(x, ptype = 1, ytext = NULL, mtext = NULL, subtext = NULL, ...)
```

Arguments

x	an object of class qte or summary.qte produce by rd.qte.
ptype	either 1 or 2. Set <i>ptype=1</i> for the QTE plots, and <i>ptype=2</i> for the conditional quantile plots. The default value is 1.
ytext	the y-axis label.
mtext	the title of the plot.
subtext	the subtitles (used for the conditional quantile plots only).
...	optional arguments to plot

Value

plot(s) of the QTE estimates and uniform confidence bands.

Examples

```
# Without covariate
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
A <- rd.qte(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,bdw=2,bias=1)
plot(A)

y.text = "test scores"
m.text = "QTE and Uniform band"
plot(A,ytext=y.text,mtext=m.text)

A2 <- summary(A,alpha=0.1)
plot(A2)

z = sample(c(0,1),n,replace=TRUE)
```

```

y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
A <- rd.qte(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),tau=tlevel,bdw=2,bias=1)
A2 <- summary(A,alpha=0.1)

y.text = "test scores"
m.text = c("D=0", "D=1")
plot(A2,ytext=y.text,mtext=m.text)

# conditional quantile plots
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
A <- rd.qte(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,bdw=2,bias=1)
A2 <- summary(A,alpha=0.1)

y.text = "test scores"
m.text = "Conditional quantile functions"
sub.text = c("D=0 group", "D=1 group")
plot(A2,ptype=2,ytext=y.text,mtext=m.text,subtext=sub.text)

```

rd.qte

QTE and its uniform confidence band.

Description

rd.qte is the main function of the QTE.RD package. It estimates QTE with/without covariates. If *bias=1*, it corrects the bias in QTE estimates and obtains the robust confidence band and if *bias=0*, no bias correction is implemented.

Usage

```
rd.qte(y, x, d, x0, z0=NULL, tau, bdw, bias)
```

Arguments

y	a numeric vector, the outcome variable.
x	a vector (or a matrix) of covariates. When no covariates are included, <i>x</i> is simply a vector of the running variable. When covariates are present, <i>x</i> should be a matrix where the first column contains the running variable and the remaining columns contain the covariates.
d	a numeric vector, the treatment status.
x0	the cutoff point.
z0	the value of the covariates at which to evaluate the effects. For example, if a female dummy <i>z</i> is included, <i>z0</i> = 1 may indicate the female subgroup.

<code>tau</code>	a vector of quantiles of interest.
<code>bdw</code>	the bandwidth value(s). If <code>'bdw'</code> is a scalar, it is interpreted as the bandwidth for the median. See the function <code>rdq.bandwidth</code> for how to select this bandwidth. The bandwidths for the rest of the quantiles are computed automatically using the formula of Yu and Jones (1998). If it is a vector with the same dimension as <code>'tau'</code> , the function will use these values for the respective quantiles accordingly.
<code>bias</code>	either 0 or 1. If <code>bias=1</code> , the QTE estimate is bias corrected and the robust confidence band in Qu, Yoon, and Perron (2024) is produced. If <code>bias=0</code> , no bias correction is implemented.

Value

A list with elements:

qte QTE estimates.

uband uniform confidence band for QTE. If `bias=1`, the band is robust capturing the effect of the bias correction. If `bias=0`, no bias correction is implemented.

sigma standard errors for each quantile level. If `bias=1`, its value captures the effect of the bias correction. If `bias=0`, no bias correction is implemented.

qp.est conditional quantile estimates on the right side of x_0 (or for the $D = 1$ group).

qm.est conditional quantile estimates on the left side of x_0 (or for the $D = 0$ group).

References

Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," The Review of Economics and Statistics; doi:10.1162/rest_a_01168

Zhongjun Qu and Jungmo Yoon (2019), "Uniform Inference on Quantile Effects under Sharp Regression Discontinuity Designs," Journal of Business and Economic Statistics, 37(4), 625–647; doi:10.1080/07350015.2017.1407323

Keming Yu and M. C. Jones (1998), "Local Linear Quantile Regression," Journal of the American Statistical Association, 93(441), 228–237; doi:10.2307/2669619

Examples

```
# Without covariate
n <- 500
x <- runif(n,min=-4,max=4)
d <- (x > 0)
y <- x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel <- seq(0.1,0.9,by=0.1)
A <- rd.qte(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,bdw=2,bias=1)

# (continued) With covariates
z <- sample(c(0,1),n,replace=TRUE)
y <- x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
A <- rd.qte(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),tau=tlevel,bdw=2,bias=1)
```

rdq

*Estimate the QTE under the RDD***Description**

rdq estimates QTE under the RDD with or without covariates. This function is used by `rd.qte` to generate QTE estimates.

Usage

```
rdq(y, x, d, x0, z0 = NULL, tau, h.tau, cov)
```

Arguments

y	a numeric vector, the outcome variable.
x	a vector (or a matrix) of covariates, the first column is the running variable.
d	a numeric vector, the treatment status.
x0	the cutoff point.
z0	the value of the covariates at which to evaluate the effects. For example, if a female dummy is included, $z0 = 1$ may indicate the female subgroup.
tau	a vector of quantiles of interest.
h.tau	the bandwidth values (specified for each quantile level).
cov	either 0 or 1. Set <code>cov=1</code> if covariates are present in the model; otherwise set <code>cov=0</code> .

Value

A list with elements:

qte QTE estimates.

qp.est conditional quantile estimates on the right side of x_0 (or for the $D=1$ group).

qm.est conditional quantile estimates on the left side of x_0 (or for the $D=0$ group).

bcoe.p quantile regression coefficients on the right side of x_0 .

bcoe.m quantile regression coefficients on the left side of x_0 .

Examples

```
# Without covariate
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
hh = rep(2,length(tlevel))
rdq(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,h.tau=hh,cov=0)
```

```
# (continued) With covariates
z = sample(c(0,1),n,replace=TRUE)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
rdq(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),tau=tlevel,h.tau=hh,cov=1)
```

rdq.band

Uniform confidence bands for QTE

Description

rdq.band produces uniform confidence bands for QTEs with and without bias correction. This function is used by rd.qte to generate uniform bands.

Usage

```
rdq.band(y, x, d, x0, z0 = NULL, tau, bdw, alpha = 0.1)
```

Arguments

y	a numeric vector, the outcome variable.
x	a vector (or a matrix) of covariates, When no covariates are included, x is simply a vector of the running variable and $z0$ can be left unspecified. When covariates are included, x should be a matrix with the running variable in the first column and the covariates in the remaining columns.
d	a numeric vector, the treatment status.
x0	the cutoff point.
z0	the value of the covariates at which to evaluate the effects. For example, if a female dummy is included, $z0 = 1$ may indicate the female subgroup.
tau	a vector of quantiles of interest.
bdw	the bandwidth value(s). If bdw is a scalar, it is interpreted as the bandwidth for the median. The bandwidths for the rest of the quantiles are computed automatically using the formula in Yu and Jones (1998). If it is a vector with the same dimension as ‘tau’, the function will use these values for the respective quantiles accordingly.
alpha	a numeric value between 0 and 1 specifying the significance level. For example, setting $\alpha = 0.1$ yields a 90% uniform confidence band. Multiple significance levels can be specified, e.g., $\alpha = c(0.1, 0.05)$.

Value

qte QTE estimates without bias correction.
qte.cor bias corrected QTE estimates.
uband uniform confidence band for QTE without bias correction.

- uband.robust** uniform confidence band for QTE with robust bias correction.
- sig** standard errors for each quantile level for estimates without bias correction.
- sig.r** standard errors for each quantile level for estimates with robust bias correction.
- uband.p** uniform confidence band for the conditional quantile estimates on the right side of the cutoff, without bias correction.
- uband.robust.p** uniform confidence band for the conditional quantile estimates on the right side of the cutoff, robust to the bias correction.
- uband.m** uniform confidence band for the conditional quantile estimates on the left side of the cutoff, without bias correction.
- uband.robust.m** uniform confidence band for the conditional quantile estimates on the left side of the cutoff, robust to the bias correction.

References

- Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," *The Review of Economics and Statistics*; doi:[10.1162/rest_a_01168](https://doi.org/10.1162/rest_a_01168)
- Zhongjun Qu and Jungmo Yoon (2019), "Uniform Inference on Quantile Effects under Sharp Regression Discontinuity Designs," *Journal of Business and Economic Statistics*, 37(4), 625–647; doi:[10.1080/07350015.2017.1407323](https://doi.org/10.1080/07350015.2017.1407323)
- Keming Yu and M. C. Jones (1998), "Local Linear Quantile Regression," *Journal of the American Statistical Association*, 93(441), 228–237; doi:[10.2307/2669619](https://doi.org/10.2307/2669619)

See Also

[rd.qte](#)

Examples

```
# Without covariate
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
D = rdq.band(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,bdw=2,alpha=0.1)

# (continued) With covariates
z = sample(c(0,1),n,replace=TRUE)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
D = rdq.band(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),tau=tlevel,bdw=2,alpha=0.1)
```

rdq.bandwidth	<i>Bandwidth estimation</i>
---------------	-----------------------------

Description

rdq.bandwidth implements two bandwidth selection rules and obtains the cross-validation (CV) bandwidth and the MSE optimal bandwidth.

Usage

```
rdq.bandwidth(y, x, d, x0, z0=NULL, cv, val, hp=NULL, pm.each=0, bdy=1, p.order=1, x1=0.5)
```

Arguments

y	a numeric vector, the outcome variable.
x	a vector (or a matrix) of covariates, the first column is the running variable.
d	a numeric vector, the treatment status.
x0	the cutoff point.
z0	the value of the covariates at which to evaluate the effects.
cv	either 0 or 1. When $cv=1$, both the CV and MSE optimal bandwidths are produced. When $cv=0$, the MSE optimal bandwidth is produced.
val	a set of candidate values for the CV bandwidth.
hp	a pilot bandwidth to estimate nuisance parameters for the MSE optimal bandwidth. It will be used only if $cv=0$. If $cv=1$, the CV bandwidth will be used as the pilot bandwidth to compute the MSE optimal bandwidth.
pm.each	either 0 or 1. When $pm.each=1$, the CV bandwidths for each side of the cutoff will be obtained separately.
bdy	either 0 or 1. When $bdy=1$, the CV bandwidth uses the boundary point procedure.
p.order	either 1 or 2. When $p.order=1$, a local linear regression is used, and when $p.order=2$, a local quadratic regression is used.
x1	if $x1=0.5$, the CV bandwidth use the 50% of observations closest to x_0 .

Value

A list with elements:

cv the selected CV bandwidth at the median.

opt.p the MSE optimal bandwidth at the median from the right side of x_0 .

opt.m the MSE optimal bandwidth at the median from the left side of x_0 .

References

Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," The Review of Economics and Statistics; doi:10.1162/rest_a_01168

Zhongjun Qu and Jungmo Yoon (2019), "Uniform Inference on Quantile Effects under Sharp Regression Discontinuity Designs," Journal of Business and Economic Statistics, 37(4), 625–647; doi:10.1080/07350015.2017.1407323

Examples

```
# Without covariate
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
rdq.bandwidth(y=y,x=x,d=d,x0=0,z0=NULL,cv=1,val=(1:4))
rdq.bandwidth(y=y,x=x,d=d,x0=0,z0=NULL,cv=0,val=(1:4),hp=2)

# (continued) With covariates
z = sample(c(0,1),n,replace=TRUE)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
rdq.bandwidth(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),cv=1,val=(1:4),bdy=1,p.order=1)
```

rdq.bias	<i>Bias estimation</i>
----------	------------------------

Description

rdq.bias estimates the bias terms using the local quadratic quantile regression.

Usage

```
rdq.bias(y, x, dz, x0, z0, taus, h.tau, h.tau2, fx, cov)
```

Arguments

- y a numeric vector, the outcome variable.
- x a vector (or a matrix) of covariates, the first column is the running variable.
- dz the number of covariates.
- x0 the cutoff point.
- z0 the value of the covariates at which to evaluate the effects.
- taus a vector of quantiles of interest.
- h.tau the bandwidth values (specified for each quantile level), for estimating conditional quantiles.

h.tau2	the bandwidth values for the local quadratic quantile regression, for estimating the bias terms.
fx	conditional density estimates.
cov	either 0 or 1. Set cov=1 if covariates are present in the model; otherwise set cov=0.

Value

A list with elements:

bias the bias estimates.

b.hat the estimate of the $B_v(x, z, \tau)$ term. See Qu, Yoon, and Perron (2024).

References

Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," The Review of Economics and Statistics; doi:[10.1162/rest_a_01168](https://doi.org/10.1162/rest_a_01168)

Examples

```
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
tlevel2 = c(0.05,tlevel,0.95)
hh = rep(2,length(tlevel))
hh2 = rep(2,length(tlevel2))

ab = rdq(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel2,h.tau=hh2,cov=0)
delta = c(0.05,0.09,0.14,0.17,0.19,0.17,0.14,0.09,0.05)
hh = rep(2,length(tlevel))
fe = rdq.condf(x,Q=ab$qp.est,bcoe=ab$bcoe.p,taus=tlevel,taul=tlevel2,delta=delta,cov=0)
be = rdq.bias(y[d==1],x[d==1],dz=0,x0=0,z0=NULL,taus=tlevel,hh,hh,fx=fe$ff[(d==1),],cov=0)
```

rdq.condf

Conditional density estimation

Description

rdq.condf estimates conditional density functions by using the differencing method.

Usage

```
rdq.condf(x, Q, bcoe, taus, taul, delta, cov)
```

Arguments

x	a vector (or a matrix) of covariates.
Q	a vector of estimated conditional quantiles.
bcoe	quantile regression coefficient estimates.
taus	a vector of quantiles of interest.
taul	a vector of quantiles used for the conditional density estimation. It is needed to estimate the tail parts of conditional density functions more precisely.
delta	bandwidths for estimating the conditional density.
cov	either 0 or 1. Set cov=1 if covariates are present in the model; otherwise set cov=0.

Value

conditional density function estimates

Examples

```
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
hh = rep(2,length(tlevel))

ab = rdq(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,h.tau=hh,cov=0)
delta = 0.186
fe = rdq.condf(x=x,Q=ab$qp.est,bcoe=ab$bcoe.p,taus=0.5,taul=tlevel,delta=delta,cov=0)
```

rdq.test	<i>tests for QTE</i>
----------	----------------------

Description

rdq.test provides testing results for hypotheses on the treatment effects concerning (i) treatment significance, (ii) homogeneity of effects over quantiles, and (iii) positive or negative dominance hypothesis.

Usage

```
rdq.test(y,x,d,x0,z0=NULL,tau,bdw,bias,alpha=0.1,type=1,std.opt=1)
```

Arguments

<code>y</code>	a numeric vector, the outcome variable.
<code>x</code>	a vector (or a matrix) of covariates. When no covariates are included, x is simply a vector of the running variable and $z0$ can be left unspecified. When covariates are included, x should be a matrix with the running variable in the first column and the covariates in the remaining columns.
<code>d</code>	a numeric vector, the treatment status.
<code>x0</code>	the cutoff point.
<code>z0</code>	the value of the covariates at which to evaluate the effects. For example, if a female dummy is included, $z0 = 1$ indicates the female subgroup.
<code>tau</code>	a vector of quantiles of interest.
<code>bdw</code>	the bandwidth value(s). If <code>bdw</code> is a scalar, it is interpreted as the bandwidth for the median. The bandwidths for the rest of the quantiles are computed automatically using the formula in Yu and Jones (1998). If it is a vector with the same dimension as <code>tau</code> , the function will use these values for the respective quantiles accordingly.
<code>bias</code>	either 0 or 1. If <code>bias=1</code> , the QTE estimate is bias corrected and the robust confidence band in Qu, Yoon, and Perron (2024) is produced. If <code>bias=0</code> , no bias correction is implemented.
<code>alpha</code>	a numeric value between 0 and 1 specifying the significance level. For example, setting <code>alpha = 0.1</code> yields a 90% uniform confidence band. Multiple significance levels can be specified, e.g., <code>alpha = c(0.1, 0.05)</code> .
<code>type</code>	a value in 1–4. Set <code>type</code> to 1 to test the null hypothesis of a zero treatment effect against the alternative hypothesis of significant treatment effects; set <code>type</code> to 2 to test the null hypothesis of homogeneous treatment against heterogeneous treatment effects; set <code>type</code> to 3 to test the null hypothesis of uniformly non-negative treatment effects against the presence of negative effects; and set <code>type</code> to 4 to test the null hypothesis of uniformly non-positive treatment effects against the presence of positive effects at some quantiles.
<code>std.opt</code>	either 0 or 1. If <code>std.opt=1</code> , the test statistic is standardized so that the variance is equalized across quantiles; if <code>std.opt=0</code> , the test is not standardized.

Value

A list with elements:

statistic test statistics.

cr.va critical values.

p.value p values.

References

Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," The Review of Economics and Statistics; [doi:10.1162/rest_a_01168](https://doi.org/10.1162/rest_a_01168)

Zhongjun Qu and Jungmo Yoon (2019), "Uniform Inference on Quantile Effects under Sharp Regression Discontinuity Designs," *Journal of Business and Economic Statistics*, 37(4), 625–647; doi:10.1080/07350015.2017.1407323

Examples

```
# Without covariate
n = 500
x = runif(n,min=-4,max=4)
d = (x > 0)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
B = rdq.test(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,bdw=2,bias=1,alpha=c(0.1,0.05),type=c(1,2,3))

# (continued) With covariates
z = sample(c(0,1),n,replace=TRUE)
y = x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
B = rdq.test(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),tau=tlevel,bdw=2,bias=1,
alpha=c(0.1,0.05),type=c(3,4))
```

summary.qte

Uniform confidence band for QTE.

Description

summary.qte returns uniform confidence bands and standard errors for QTE estimates.

Usage

```
## S3 method for class 'qte'
summary(object, alpha = 0.1, ...)
```

Arguments

object	It is an object of class "qte" produced by rd.qte.
alpha	a number between 0 and 1, the desired significance level. For example, setting $\alpha = 0.1$ yields a 90% uniform confidence band. Multiple significance levels can be specified, e.g., $\alpha = c(0.1, 0.05)$.
...	optional arguments.

Value

A list with elements:

qte QTE estimates.

uband uniform confidence band for QTE. If $bias=1$, the band is robust capturing the effect of the bias correction. If $bias=0$, no bias correction is implemented.

sigma standard errors for each quantile level. If $bias=1$, its value captures the effect of the bias correction. If $bias=0$, no bias correction is implemented.

qp.est conditional quantile estimates on the right side of x_0 (or for the $D = 1$ group).

qm.est conditional quantile estimates on the left side of x_0 (or for the $D = 0$ group).

uband.p uniform confidence band for conditional quantiles on the right side of x_0 .

uband.m uniform confidence band for conditional quantiles on the left side of x_0 .

References

Zhongjun Qu, Jungmo Yoon, Pierre Perron (2024), "Inference on Conditional Quantile Processes in Partially Linear Models with Applications to the Impact of Unemployment Benefits," The Review of Economics and Statistics; doi:[10.1162/rest_a_01168](https://doi.org/10.1162/rest_a_01168)

Zhongjun Qu and Jungmo Yoon (2019), "Uniform Inference on Quantile Effects under Sharp Regression Discontinuity Designs," Journal of Business and Economic Statistics, 37(4), 625–647; doi:[10.1080/07350015.2017.1407323](https://doi.org/10.1080/07350015.2017.1407323)

Examples

```
# Without covariate
n <- 500
x <- runif(n,min=-4,max=4)
d <- (x > 0)
y <- x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + rnorm(n)
tlevel = seq(0.1,0.9,by=0.1)
A <- rd.qte(y=y,x=x,d=d,x0=0,z0=NULL,tau=tlevel,bdw=2,bias=1)
A2 <- summary(A,alpha=0.1)

# (continued) With covariates
z <- sample(c(0,1),n,replace=TRUE)
y <- x + 0.3*(x^2) - 0.1*(x^3) + 1.5*d + d*z + rnorm(n)
A <- rd.qte(y=y,x=cbind(x,z),d=d,x0=0,z0=c(0,1),tau=tlevel,bdw=2,bias=1)
A2 <- summary(A,alpha=0.1)
```


Index

- * **datasets**

- ddk_2011, [3](#)

- * **external**

- QTE.RD-package, [2](#)

ddk_2011, [3](#)

plot.qte, [4](#)

QTE.RD (QTE.RD-package), [2](#)

QTE.RD-package, [2](#)

rd.qte, [5](#), [9](#)

rdq, [7](#)

rdq.band, [8](#)

rdq.bandwidth, [10](#)

rdq.bias, [11](#)

rdq.condf, [12](#)

rdq.test, [13](#)

summary.qte, [15](#)